

PENGUMUMAN PELELANGAN TERBUKA

NOMOR 2533.Peng/SCM/PLN-NPS/2025

TENTANG

PENGADAAN KESEPAKATAN HARGA SATUAN MATERIAL CLOTH BAG FILTER PT PLN NUSANTARA POWER SERVICES PERIODE 2026-2027

Tim Pengadaan Barang/Jasa PT PLN Nusantara Power Services akan melaksanakan Pelelangan Pengadaan Kesepakatan Harga Satuan Material Cloth Bag Filter PT PLN Nusantara Power Services Periode 2026-2027 dengan persyaratan sebagai berikut :

1. Persyaratan Peserta Lelang

- a. Memiliki Surat Ijin Usaha Perdagangan (SIUP) atau Izin Usaha Tetap (IUT) atau Nomor Induk Berusaha (NIB) yang masih berlaku.
- b. Perusahaan menerapkan ISO-9001 yang dikeluarkan oleh badan sertifikasi yang terakreditasi dan masih berlaku.
- c. Pelaksana pekerjaan memiliki pengalaman pekerjaan dibidang yang sama minimal 3 (tiga) kali, dan di lingkungan PLN Nusantara Power Group minimal 1 (satu) dalam kurun waktu 2 (dua) tahun terakhir.
- d. Pelaksana pekerjaan memiliki workshop fabrikasi cloth bag filter dibuktikan dengan dokumen kepemilikan workshop serta daftar peralatan produksi cloth bag filter.
- e. Pelaksana Pekerjaan harus menjamin seluruh part/material yang didatangkan adalah baru (new product), dilampirkan dengan COO/COM dan menjamin terhadap kualitas dan mutu barang sesuai dengan spesifikasi.

2. Pelaksanaan Pengadaan

- a. Pendaftaran dan Pengambilan Dokumen :

Hari/Tanggal : Senin, 03 November 2025 sd Kamis, 13 November 2025

Waktu : Pukul 08:00 s/d 16:00 WIB

Tempat : - PT. PLN Nusantara Power Services

Jl. Raya Bandara Juanda No 17

Desa Semambung, Gedangan

Sidoarjo

- Atau melalui email : pengadaan@plnnpowerservices.com

dengan diberi subyek :

**SURAT PERNYATAAN MINAT PENGADAAN KESEPAKATAN HARGA SATUAN MATERIAL
CLOTH BAG FILTER PT PLN NUSANTARA POWER SERVICES PERIODE 2026-2027**

- b. Aanwijzing atau Penjelasan Dokumen:

Hari/Tanggal : Rabu, 05 November 2025

Waktu : Pukul 10:00 WIB

Tempat : - PT. PLN Nusantara Power Services

Jl. Raya Bandara Juanda No 17

Desa Semambung, Gedangan

Sidoarjo

- Atau Pelaksanaan penjelasan lelang dapat dilakukan melalui media daring atau Internet (email, video conference, dan lain-lain) yang akan diinformasikan berikutnya.

- c. Dokumen Pengadaan dapat di-email atau diambil dalam bentuk soft copy.

3. Spesifikasi Pekerjaan

Sesuai daftar Terlampir

Demikian disampaikan untuk menjadi perhatian.

Sidoarjo, 03 November 2025

Tim Pengadaan Barang/Jasa PT. PLN Nusantara Power Services

Catatan :

Peserta yang mendaftar diharapkan membawa flashdisk apabila membutuhkan softcopy dokumen

PIC Pengadaan : TITO SURYO RAHARJO

No. HP : +62 821-5720-5758

Lampiran Pengumuman	2533.Peng/SCM/PLN-NPS/2025
Tanggal	03 November 2025

BILL OF QUANTITY (BOQ)

Pengadaan Kesepakatan Harga Satuan Material Cloth Bag Filter PT PLN Nusantara Power Services Periode 2026-2027

No	ITEM BARANG/JASA	Jumlah	Satuan
1.	PLTU TIDORE		
1.a.	CLOTH BAG FILTER META ARAMID (NOMEX) Weight: 500-650 gr/m2 Air Permeability: 150-300 l/dm2/min @200Pa Tensile strength: warp > 900 N/5cm, weft > 1000 N/5cm Temperature: min 190°C (kontinu) Scrim material: Nomex Finishing treatment (min): singed, glazing, calendering, water & oil repellent Sewing thread: PTFE L 4500mm, Ø snapping 155mm, ID tube sheet 160mm	768	Ea
1.b.	CLOTH BAG FILTER PPS, ID TUBE SHEET 160MM Weight: 500-600 gr/m2 Air Permeability: 150-300 l/dm2/min @200Pa Tensile strength: warp > 900 N/5cm, weft > 1000 N/5cm Temperature: min 180°C (kontinu) Scrim material: PPS Finishing treatment (min): singed, glazing, calendering, water & oil repellent Sewing thread: PTFE L 4500mm, Ø snapping 155mm, ID tube sheet 160mm	2304	Ea
2.	PLTU TEMBILAHAN		
2.a.	CLOTH BAG FILTER PPS, ID TUBE SHEET 165MM Weight: 500-650 gr/m2 Air Permeability: 150-300 l/dm2/min @200Pa Tensile strength: warp > 900 N/5cm, weft > 1000 N/5cm Temperature: min 190°C (kontinu) Scrim material: Nomex Finishing treatment (min): singed, glazing, calendering, water & oil repellent Sewing thread: PTFE Snap band material SS304, ring material SS304 Jumlah Ring: 18 x Ø 5mm ID tube sheet 165mm, L 4200 mm	960	Ea
2.b.	CLOTH BAG FILTER META ARAMID (NOMEX) Weight: 550-600 gr/m2 Air Permeability: 150-300 l/dm2/min @200Pa Tensile strength: warp > 900 N/5cm, weft > 1000 N/5cm Temperature: min 180°C (kontinu) Scrim material: PPS Finishing treatment (min): singed, glazing, calendering, water & oil repellent Sewing thread: PTFE Snap band material SS304, ring material SS304 Jumlah Ring: 18 x Ø 5mm ID tube sheet 165mm, L 4200 mm	960	Ea

2.c.	CLOTH BAG FILTER PPS, ID TUBE SHEET 165MM Weight: 550-600 gr/m² Air Permeability: 150-300 l/dm²/min @200Pa Tensile strength: warp > 900 N/5cm, weft > 1000 N/5cm Temperature: min 180°C (kontinu) Scrim material: PPS Finishing treatment (min): singed, glazing, calendering, water & oil repellent Sewing thread: PTFE Snap band material SS304, ring material SS304 Jumlah Ring: 31 x Ø 4mm ID tube sheet 162mm, L 5980 mm	784	Ea
2.d.	CLOTH BAG FILTER META ARAMID (NOMEX) Weight: 500-650 gr/m² Air Permeability: 150-300 l/dm²/min @200Pa Tensile strength: warp > 900 N/5cm, weft > 1000 N/5cm Temperature: min 190°C (kontinu) Scrim material: Nomex Finishing treatment (min): singed, glazing, calendering, water & oil repellent Sewing thread: PTFE Snap band material SS304, ring material SS304 Jumlah Ring: 31 x Ø 4mm ID tube sheet 162mm, L 5980 mm	784	Ea